

U.S. ENVIRONMENTAL PROTECTION AGENCY

REGION X

1200 SIXTH AVENUE
SEATTLE, WASHINGTON 98101



REPLY TO
ATTN OF: M/S 533

COPY

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

DEC 28 1984

Roger Nelson, Vice-President
Chem-Security Systems, Inc.
P.O. Box 1866
Bellevue, WA 98009

Dear Mr. Nelson:

This is in reference to Kenneth Lepic's letter dated November 21, 1984 concerning the polychlorinated biphenyl (PCB) disposal approval issued by the Environmental Protection Agency (EPA) Region 10 to Chem-Security Systems, Incorporated (CSSI) for its Arlington, Oregon facility. Specifically it has been requested that this approval, which expires on January 1, 1985 be extended to January 1, 1989.

This letter extends the currently effective PCB approval signed March 25, 1982 (as amended) until EPA makes a final determination on CSSI's request for renewal.

EPA is evaluating your renewal request in light of the conditions of the currently effective approval, current knowledge of operational and technological aspects of your facility. It is anticipated that a final determination on your request should be forthcoming by mid 1985.

If you have additional questions regarding this issue, please contact George Hofer of my staff at (206) 442-2803.

Sincerely,

Ernesta B. Barnes
Regional Administrator

cc: K. Lepic, CSSI